

[Export as PDF](#)

The Govroam CAT is now deprecated.

Govroam CAT Signup

Background

The CAT (Configuration Assistant Tool) allows end users to install a configuration on their devices which will allow them to easily connect to Govroam. These are primarily intended to help BYOD (Bring Your Own Device) users, as opposed to corporately managed devices.

Structure

Each organisation (e.g. Holby Trust) will have an entry (an Identity Provider) in the CAT which can be managed by one or more members of that organisation, normally the person, or people, who manage the RADIUS proxy system. These administrators can add, or remove, other administrators of their Identity Provider. Within each Identity Provider there can be multiple profiles, with independent configuration, which allows for different realms, authentication types, support details and other aspects.

Sign-Up

Initially each site should request a token for an administrator. That token will be sent to the supplied email address and will be valid for **24** hours. After that time another token would have to be requested.



On receipt of the token the recipient would click a link which takes them to the Login page. This Login page gives a number of options for Identity Providers (these are not the same Identity Providers as referred to above) but currently the only option is Google.

The administrator will need to log in. At this point the ID provided by the Login system, e.g. Google, will be permanently associated with the CAT. This means that in future the administrator will have to use the same Login system each time to gain access to the CAT. Once logged in the administrator will have access to their CAT Identity Provider and be able to start the process of populating the appropriate values and creating a new Profile.

Summary

1. The technical contact for your site should email govroam@jisc.ac.uk asking for a CAT token.
2. On receipt of the email from Jisc the technical contact should click on the link (within 24 hours).
3. Pick an IdP to use for now and in the future (e.g. Google).

4. Log in with your Google credentials (creating a new account if necessary).
5. Create a new CAT IdP for your site.

Govroam CAT: purpose and scope

Introduction

Govroam CAT is the Govroam Configuration Assistant Tool. Its purpose is to support you, an Govroam Identity Provider administrator, by allowing you to generate customised Govroam installers for various platforms. The customisation includes your IdP's name, location and logo, contact details for your helpdesk, and of course the RADIUS settings which users need to uniquely identify your IdP when roaming. The installers can be produced in many languages; that way, you can even offer your users an installer in their native language! Further to that, Govroam CAT can also assist you in debugging your own RADIUS setup by comparing your inputs to the actual behaviour of your setup in the Govroam infrastructure.

Govroam CAT can make the end-user installers available on its own user download area, or you may choose to download them yourself and distribute them on your organisation's own web page. You can also choose to make only a subset of the supported platforms available for direct download, while redirecting users of select platforms to your own support page (e.g. if you have custom installers with non-standard specialities for these platforms).

Surprisingly many users do not have a clue which operating system they are using. Govroam CAT thus includes an operating system detection and automatically suggests the fitting download. There is a "All platforms" link which takes users to the full platform selection if they so wish. A screenshot of the download area is below. Try it out yourself: hop over to <https://cat.govroam.uk>, and select any organisation on the download page!

[select another](#)

Govroam (Test only)

If you encounter problems, then you can obtain direct assistance from your Identity Provider at:


WWW: <http://jisc.ac.uk/govroam>
 email: govroam@jisc.ac.uk
 tel: 01235 822119

Choose another installer to download

	MS Windows 10	i
	MS Windows 8, 8.1	i
	MS Windows 7	i
	MS Windows Vista	i
	Apple macOS High Sierra	i
	Apple macOS Sierra	i
	Apple OS X El Capitan	i
	Apple OS X Yosemite	i
	Apple OS X Mavericks	i
	Apple OS X Mountain Lion	i
	Apple OS X Lion	i
	Apple iOS mobile devices	i
	Apple iOS mobile devices (iOS 5 and 6)	i
	Linux	i
	Chrome OS	i
	Android 8.0 Oreo	i
	Android 7.0 Nougat	i
	Android 6.0 Marshmallow	i
	Android 5.0 Lollipop	i
	Android 4.4 KitKat	i
	Android 4.3	i
<EAP>	EAP config	i

Govroam CAT - Unreleased [Git Revision](#) © 2011-2018 DANTE Ltd. and GÉANT on behalf of the GN3, GN3+, GN4-1 and GN4-2 consortia; and others [Full Copyright and Licenses](#)

There is also a lightweight download page for resource-constrained mobile devices. It also includes the operating system detection.



Device Support

Govroam CAT supports a broad selection of common end-user client devices and many EAP types. To view the full compatibility matrix of supported EAP types and devices, please visit the frontpage of Govroam CAT and click on “About Govroam CAT” on the left-hand side under the “About” menu. You will see that not all EAP types are supported on all platforms - we largely rely on the target Operating System's capabilities.

For some devices, there is little we can do, since they either do not support proper automatic configuration, or for various reasons such support cannot be used by CAT. For some select devices in that class we still offer the possibility for administrators to set a redirect target for this device. Administrators can then create a dedicated support web page to which the user will be sent for local instructions. You can find the list of these devices on the “Installer Fine-Tuning” page (see below); more devices can be added by the Govroam CAT operators; if you see a need for that please contact govroam@jisc.ac.uk.

Notably, Android versions below 4.3 are not supported and likely never will be, sorry. Your helpdesk will have to take care of legacy Android users by other means.

Support Policy for operating systems versions

Govroam CAT generally tries to follow vendors' end of life dates:

- Microsoft products: <https://support.microsoft.com/en-gb/help/13853/windows-lifecycle-fact-sheet>
- Apple products: <https://support.apple.com/en-gb/HT201624>

TTLS Support for Windows XP, Vista, and 7

GÉANT and SecureW2 are happy to announce that they have reached amicable settlement of their dispute relating to the distribution of EAP Suite 1.1.3 in the Govroam CAT platform.

Scope

Govroam CAT is not replacing your helpdesk! While we hope to do you a good service by taking the technical task of generating secure installers for many platforms into our hands, we can not take your users' phone calls or tell them how to fix problems on their computers. The CAT's installers work on the target platforms if these have not been modified beyond reason by the end-user, and we hope the installation process with them is intuitive enough; but we can not give you guarantees that you will not ever hear from failing users again.

Enrolling my organisation for Govroam CAT

Step 1: Requesting an entry for your organisation

Govroam CAT follows the usual organisational model of Govroam: your national federation administrator has control over all the Identity Providers in his country. To manage your organisation with Govroam CAT, please let your national administrator know that you want to participate using your usual communications channels.

If he finds you eligible for the service, he will send you an invitation email with a token (the token is valid for 24 hours after sending it to you). You can then follow the supplied link with the token, log into the Govroam Administration interface, and start managing your organisation - see the next section for details of organisation and profile setup.

Step 2: How to log into Govroam CAT?


When clicking on the Administration interface link, you will be automatically sent to the Govroam Support Services' federated login service. This login service does not work with site-specific usernames and passwords; instead you are presented with a list of sources of identity, currently just Google.

Configuring my organisation's properties

Overview

There are basically four groups of information which we need to ask of you before we can create good-looking installers for you:


- general information about your organisation (e.g. logo, approximate location, name)



General Identity Provider details

Country: United Kingdom

Name of Identity Providerdefault/other languages Govroam (Test only)

Logo image 

- helpdesk contact details (mail, phone, web)

Global Helpdesk Details

Support: E-Mail default/other languages govroam@jisc.ac.uk
Support: Phone default/other languages **01235 822119**
Support: Web default/other languages <http://jisc.ac.uk/govroam>

- media properties (e.g. SSIDs, wired support)

Media Properties

Remove/Disable SSID **setup**
Configure Wired Ethernet **on**

- RADIUS and EAP details

Profile: Govroam



EAP Types (in order of preference):

TTLS-PAP **OK**
PEAP-MSCHAPv2 **OK**

Check realm reachability

Installer Fine-Tuning and Download

Edit

Delete

To the largest extent possible, all the information is optional. If you choose not to let us know all the details we will still create installers, but they just won't contain as much information as they could. Please consider giving us as much information as possible. There are two governing principles regarding input and storage of information in the administrator user interface:

1. Textual information can be provided in many languages; one language representation should be set as the default language though - to have a string to present to users who want to use a language which wasn't explicitly configured.

2. An organisation consists of one or more EAP profiles, each of which can have its own EAP-specific settings. One typical use-case is an organisation which has “Doctor” and “Med Student” accounts with different EAP-Types being supported. Many options in Govroam CAT can either be set for the entire organisation or only for a specific profile; if a setting is set on both levels, the more specific profile-level setting will override the organisation-level one.

Organisation-wide Settings

After you've followed the invitation token from your national administrator, you'll be dropped right in the “Edit IdP” page. On that first time, you'll see a “wizard mode” which provides lots of explanatory text about the meaning of all the settings you can make. You can add and delete any of those options; don't be shy and try them all out! Adding a new option is done by pushing the corresponding button, selecting which option you want to set, and then the content of that new option. Changes will only be saved when you hit the “Continue ...” button on the bottom of the page.



When you re-visit the “Edit IdP” page later from the Organisation Overview page, the explanatory texts are condensed in order not to overload the user interface. You'll certainly find your way around without the wizard texts.

You can configure three of the four areas mentioned above in this first page. The RADIUS and EAP settings are configured in the more specific Profile configuration at a later stage.

General Information

Helpdesk Contact Details

Media Properties

Here, you can now configure all media properties of your Govroam setup.

The SSID “govroam” for WPA2/AES is always configured as it is the core of the Govroam specification; you do not need to enter this one here. The list of things you can additionally configure in “Media” are:

- additional SSID for WPA2/AES:

If you deploy other SSIDs for which Govroam credentials are valid, you can add these here and they will be configured alongside the govroam SSID.

- additional SSID for WPA2/AES and WPA/TKIP

If you deploy other SSIDs for which Govroam credentials are valid, you can add these here and they will be configured alongside the Govroam SSID. This SSID will be installed for both WPA2/AES and (legacy) WPA/TKIP.

- additional own Hotspot 2.0 / Passpoint Consortium OI

If you want to enable Passpoint and have a Consortium Organisation Identifier, you can enter it here. **Currently there isn't an COI for Govroam but it is something being considered for the future** On end-user device side, settings made regarding Passpoint are supported by all the major OSes: Windows, Android, iOS and MacOS but at varying levels of competence.

- whether or not to configure wired ethernet for IEEE 802.1X

Some Govroam participants also use IEEE 802.1X for wired ethernet ports in their premises, e.g. in dormitories. Administrators can specify that the installers should include wired ethernet Govroam configuration on the client devices. This is currently supported for the Windows installers and Apple OS X. Windows installers will provoke a UAC prompt when wired support is turned on.

- disable captive portal SSIDs after setting up Govroam

Many Govroam participants deploy several SSIDs; typically, a captive portal SSID for help and/or download of configuration profiles/configuration instructions (a “bootstrap” or “onboarding” network), and the real Govroam network. If your users have connected to the bootstrap network before, their devices usually remember it, and may unfortunately prefer that network over the then-configured Govroam network. To prevent this, you can configure the name of your bootstrap SSID, and then during the installation process, CAT will either remove it from the client device, or at least mark it as “do not join automatically”.

Profiles

Profiles are the specific EAP configurations for your user group(s), and installers are always generated for specific profiles. If you only have one user group, the distinction between organisation-wide and profile-wide settings does not make a difference. However, many IdPs have different user groups which share some properties, but not all. One example is where on the one hand Med Students have username/password accounts, authenticating with PEAP and generic helpdesk contact points, and on the other hand permanent staff have TLS Client certificates with EAP-TLS and access to a better second-level helpdesk just for them.

Govroam CAT makes it easy to manage multiple user group profiles for one organisation. Shared properties for e.g. server certificates and helpdesk contacts can be defined organisation-wide (which makes them immediately available in all profiles) or per-profile (the property then is only defined for this specific profile). You can also define organisation-wide settings and override them in specific profiles.

In the first-time wizard, the CAT automatically takes you to the profile creation page as soon as the organisation-wide settings are submitted.

For a profile, you first have to set its name and description, which as usually can be done in many languages. There is also one important option: “Production-Ready”. We will not publish your generated installers on the end-user download page unless you set this option and check the box. This is to prevent that people accidentally download installers with incomplete information while you are still working on the final setup.

General Profile Properties

You will now define a profile for your user group(s). You will add to every profile an icon like the following (the icon is located on the left side of the page). After you are done, it is advised to refresh your view on the main CAT administration page.

Profile Name and RADIUS realm

First of all we need a name for the profile. This will be displayed on the user's device, so you may want to choose a descriptive name like 'Students', 'Teachers' or 'Professors', etc.

Optionally, you can provide a longer description that will be shown on the profile's list. If you specify it, it will be displayed on the download page after the user has selected the profile name in the list.

You can also set an optional support page. This is useful if you want to use the CAT to check whether your users have successfully installed the software on their device. It is a good idea to set the support page if you want to support your users during the installation.

Profile Description (id 1)

Profile Display Name

Provisioning Ready ☐

The CAT also asks for the RADIUS realm belonging to this profile; submitting the realm name is optional, but highly recommended because it enables us to do very thorough sanity checks on your RADIUS installation later. Please see the section “Verifying my RADIUS setup” for more details. You can also decide whether you want the generated installers to be configured with an anonymous outer identity, and what that identity should be. If you want users of that profile NOT to be given an installer, you can also specify that we should send your users to your own support page instead. A typical use case for that is if you, the admin, want to generate installers but only download them yourself and present them on your own Govroam support page.

Assembly Support

Some students support a custom install (downloadable) system. If you determine what this is, please visit this page. We will then generate a custom installer for you. This will be used to install the software on the user's device. The installer will be generated for the user's device. If you want to use the CAT to check whether your users have successfully installed the software on their device, it is a good idea to set the support page if you want to support your users during the installation.

Support Page URL

Installer Download Location

The CAT has a download area for the user's device. If you want to use the CAT to check whether your users have successfully installed the software on their device, it is a good idea to set the support page if you want to support your users during the installation.

Installer Download Location

The third part of profile generation is about the EAP types which you've configured in your RADIUS server for this user group. By simple drag&drop, please drag all the EAP types you support into the upper green area. The list is ordered by preference, so drag the EAP types into your preferred order. The CAT will always compare the EAP types you've configured here with the capabilities of the various devices which are to be configured. If the device supports your most preferred EAP type, installers will always be generated for that EAP type. If your preferred EAP type does not work on a given device, the preference list is worked through until a match occurs, and then installers for that device will use that not-so-preferred EAP type (which is better than not supporting Govroam configuration at all). Finally, if there is a complete mismatch between the EAP types you support and the EAP types on a device, then we can't generate installers for that device. You might be luckier if you can change your RADIUS setup to support more EAP types then.

Supported EAP Types

Now, we need to know which EAP types your RADIUS supports. If you support multiple EAP types, you can assign a weight to each one (1-10). This will be used to generate the installer. The CAT will then use the highest priority, only if the user's device supports the EAP type. If not, it will use the next one in the list.

Supported EAP Types for this profile

Unsupported EAP types:

- EAP-TLS
- EAP-PEAP
- EAP-FAST
- EAP-LEAP
- EAP-OTP
- EAP-PSK
- EAP-SIM
- EAP-SM
- EAP-TLSv2
- EAP-TLSv3
- EAP-TLSv4
- EAP-TLSv5
- EAP-TLSv6
- EAP-TLSv7
- EAP-TLSv8
- EAP-TLSv9
- EAP-TLSv10
- EAP-TLSv11
- EAP-TLSv12
- EAP-TLSv13
- EAP-TLSv14
- EAP-TLSv15
- EAP-TLSv16
- EAP-TLSv17
- EAP-TLSv18
- EAP-TLSv19
- EAP-TLSv20
- EAP-TLSv21
- EAP-TLSv22
- EAP-TLSv23
- EAP-TLSv24
- EAP-TLSv25
- EAP-TLSv26
- EAP-TLSv27
- EAP-TLSv28
- EAP-TLSv29
- EAP-TLSv30
- EAP-TLSv31
- EAP-TLSv32
- EAP-TLSv33
- EAP-TLSv34
- EAP-TLSv35
- EAP-TLSv36
- EAP-TLSv37
- EAP-TLSv38
- EAP-TLSv39
- EAP-TLSv40
- EAP-TLSv41
- EAP-TLSv42
- EAP-TLSv43
- EAP-TLSv44
- EAP-TLSv45
- EAP-TLSv46
- EAP-TLSv47
- EAP-TLSv48
- EAP-TLSv49
- EAP-TLSv50
- EAP-TLSv51
- EAP-TLSv52
- EAP-TLSv53
- EAP-TLSv54
- EAP-TLSv55
- EAP-TLSv56
- EAP-TLSv57
- EAP-TLSv58
- EAP-TLSv59
- EAP-TLSv60
- EAP-TLSv61
- EAP-TLSv62
- EAP-TLSv63
- EAP-TLSv64
- EAP-TLSv65
- EAP-TLSv66
- EAP-TLSv67
- EAP-TLSv68
- EAP-TLSv69
- EAP-TLSv70
- EAP-TLSv71
- EAP-TLSv72
- EAP-TLSv73
- EAP-TLSv74
- EAP-TLSv75
- EAP-TLSv76
- EAP-TLSv77
- EAP-TLSv78
- EAP-TLSv79
- EAP-TLSv80
- EAP-TLSv81
- EAP-TLSv82
- EAP-TLSv83
- EAP-TLSv84
- EAP-TLSv85
- EAP-TLSv86
- EAP-TLSv87
- EAP-TLSv88
- EAP-TLSv89
- EAP-TLSv90
- EAP-TLSv91
- EAP-TLSv92
- EAP-TLSv93
- EAP-TLSv94
- EAP-TLSv95
- EAP-TLSv96
- EAP-TLSv97
- EAP-TLSv98
- EAP-TLSv99
- EAP-TLSv100

EAP Details

In the EAP Details section, you can upload common properties of your RADIUS installation's EAP configuration. If you specify something here, the settings will be used for all the user profiles you define (see below), unless you choose to override them in one of the profiles.

For most EAP methods, the required EAP details are

- The Certification Authority (CA) certificate(s) which signed your EAP server certificate
 - always include the root CA (root CAs are indicated with a blue circled “R” besides the certificate details after upload)
 - optionally include intermediate CAs (intermediate or server certificates are indicated with

a blue circled ("I") besides the certificate after upload)

- The name of your server as specified in the Common Name (CN) of your EAP server certificate

Note 1 - server certificates

There is no point in uploading the server certificate itself. The server certificate is sent during the EAP exchange during login time to the client. Contrary to that, the CA certificates are needed because they are the trust anchor on the client device which it uses to verify that incoming server certificate.

Note 2 - CA requirements

Various client device operating systems have specific requirements about which CA certificates and server certificates they accept. For more information, please see [eap_server_certificate](#) considerations.

Note 3 - CA rollover support


You can upload multiple root CA certificates simultaneously to CAT. On all supported client OSes, all of them will be installed and all will be marked trusted. This enables CA vertificate rollover without a flag day: User devices which were configured with an upcoming new root CA ahead of time will then not even notice the change of server cert from old to new trust root (so long as the Common Name of the server certificate remains unchanged during the rollover).

Almost all CAT-support client operating systems support mutiple trust roots. There is only one fraction of CAT-supported client OSes which does not support multiple root CAs: Android versions < 7.1. For those, due to an API limitation we are not able to do anything about, only one root CA will be installed; the API also cannot install any intermediate CAs at all. To isolate Android users while giving everyone else multiple trust roots early, you could create a different profile (see next section) just for Android and only load the desired root CA into that profile). Android 7.1 finally got its support for multiple trust roots; the GovroamCAT app already supports that.








Given the update situation on the Android platform, it is naive to think that the unsupported root CA rollover problem will wither out in anything less than five years. There is unfortunately nothing we can do about it.

Overriding IdP-wide Settings

After these steps, you can enter/override helpdesk and media properties if you haven't done so on the organisation-wide settings already (see above). If you have entered one specific option organisation-wide already, and you enter something else here, then the settings on profile level supersede the organisation-level ones.



That's all - the CAT then proceeds to a sanity check of the things you have configured and will tell you about any things which need fixing, if any. You are then transported to the Organisation dashboard - from where you can continue to download your installers, change organisation or profile details,

Device compatibility matrix for Govroam of Govroam (Test only)			
Device		TLS-PAP	PEAP-MSCHAPv2
		EAP-Type-specific options...	EAP-Type-specific options...
 MS Windows 10	Device-specific options...	Download	
 MS Windows 8, 8.1	Device-specific options...	Download	
 MS Windows 7	Device-specific options...	Download	
 MS Windows Vista	Device-specific options...	Download	
 Windows RT	Device-specific options...		
 Apple macOS High Sierra	Device-specific options...	Download	
 Apple macOS Sierra	Device-specific options...	Download	

Maybe you have something special to communicate to your users? E.g. hints which password to use for EAP-TTLS, or which secretariat to turn to to get the client certificate for EAP-TLS? Maybe you ban Apple Smartphones from your campus and want to alert users to that end?

For all these options, the Fine-Tuning page has extra buttons: you can add free-text for either specific EAP Types or specific devices. This text will then be displayed on the user download page before the download begins. For devices, you can also specify a Redirect target; if this is set, CAT will not provide a download button, but instead will redirect users to the URL you specified. This could, for example, be useful if you have a custom-made or commercial installer for one of the devices, and don't want to use CATs services Sierra for that device. If this option is set, the background for this device will turn white in the matrix (see screenshot above).

Fine-tuning options for EAP-Type TLS-PAP

Extra text on downloadpage for EAP method

select language

Add new option

Save data

Fine-tuning options for device MS Windows 10

Extra text on downloadpage for device

select language

Extra text on downloadpage for device

select language

Add new option

Save data

You can now push the download buttons and use the generated installers as you see fit. This is also possible for redirected devices; even though your users don't get this installer from CAT, you as an admin might want to have it anyway, e.g. to include it in your own Govroam support pages.

Installer visibility on the user download page

You are in full control which of the installers, if any, and when you want to show on the CAT end-user download pages. Your control options are as follows:

- Make the EAP profile visible, but redirect users to your own support pages (entry is listed, but no download on the public page). This can be set in Profile options - see screenshot.


Installer Download Location

Redirect end users to own web page: ☐

- Make the EAP profile visible with installers, but redirect certain devices to your own pages. Use the Fine-Tuning matrix to set the Redirect option for the device (see previous section).
- Make all installers visible.

All of three options will require confirmation by you that you have entered all details and have reviewed the profile to be “production-ready”. No details of your EAP deployment will be made visible until you have declared your data set production-ready. You do this by adding the option with that same name in your Profile properties.

The visibility status of your EAP deployment is indicated with either a green (published) or yellow (unpublished) status icon on the Profile info (see screenshot). If the status is yellow, you can hover with your mouse over it to get a more detailed explanation why the profile is not published.




Verifying my RADIUS setup

If you have supplied the CAT with the realm which you are using in Govroam, an extra service is enabled for you: the CAT can send live data probes through the Govroam infrastructure to see if your realm's RADIUS server is reachable and whether it passes various sanity checks. All these tests are triggered by pushing the button “Check realm reachability”. You will be presented with an overview page immediately while various tests are executed in the background:

The tests will take a few to several tens of seconds, and will give you an in-depth overview of how your RADIUS server is doing in the world of Govroam. The tests include

- a DNS check whether your realm is publishing NAPTR records for Govroam Dynamic Discovery; and if so, whether all DNS records are correct (**currently NAPTR records aren't an option for Govroam**). If the DNS checks were successful, the CAT will make actual use of the discovered RADIUS Dynamic Discovery server targets and try to connect. It will present a mix of valid and invalid certificates and will check whether the server acted correctly on receipt of these certificates.



- the results of actual authentication tests which were sent in the moment you pushed the button: these will not log anybody in (we don't have actual user credentials) but even with the planned failed authentication, we can run lots of diagnosis on your server. The web page will let you know if we found some oddities you might want to take care of:
 - Authentication round-trip times to your realm which take more than 5 seconds are suspicious
 - Your server must be able to send and receive UDP fragments (some firewalls choke on that)
 - There are a number of RADIUS attributes that are commonly present in authentication requests; some servers behave strangely on receipt - we'll let you know if yours is problematic
 - Checks regarding the structure and validity of your server, intermediate and root CA certificates. These checks are as thorough as checking everything that is described in prose on the EAP Server Considerations page. Here is a typical output if your server certificate is “from the 1990s” (i.e. didn't keep up with all the recommendations and requirements on server certificates in recent years):

The screenshot shows the 'Static connectivity tests' section of the Govroam CAT interface. It features a navigation bar with 'Overview', 'Static connectivity tests' (selected), 'Dynamic connectivity tests', and 'Live login tests'. Below the navigation bar is a 'Repeat static connectivity tests' button. The main content area is titled 'STATIC connectivity tests' and contains a descriptive paragraph: 'This check sends a request for the realm through various entry points of the educom infrastructure. The request will contain the "Operator-Name" attribute, and will be larger than 1500 Bytes to catch two common configuration problems. Since we don't have actual credentials for the realm, we can't authenticate successfully - so the expected outcome is to get an Access-Reject after having gone through an EAP conversation.' Below this, there are five test results, each with a green checkmark icon and a 'show server certificate details' link. The tests are: 'Testing from: Europe/Luxembourg 1' (elapsed time: 443 ms), 'Testing from: Europe/Luxembourg 2' (elapsed time: 425 ms), 'Testing from: Europe/Poland' (elapsed time: 1666 ms), 'Testing from: Europe/Germany' (elapsed time: 1013 ms), and 'Testing from: EAP/Tab test' (elapsed time: 1367 ms). The 'EAP/Tab test' result is marked with a yellow warning icon and a 'Test FAILED' message: 'the request was rejected immediately without EAP conversation. This is not necessarily an error: if the RADIUS server enforces that outer identities correspond to an existing username, then this result is expected (note: you could configure a valid outer identity in your profile settings to get past this hurdle). In all other cases, the server appears misconfigured or it is unreachable.'

- If you feel comfortable giving CAT access to short-lived real authentication credentials (for debugging purposes with test user accounts only!), then you can run an actual positive authentication test; in which case we can run even more diagnosis.

The screenshot shows the 'Live login test' section of the Govroam CAT interface. It features a navigation bar with 'Overview', 'Static connectivity tests', 'Dynamic connectivity tests', and 'Live login tests' (selected). Below the navigation bar is a 'Return to dashboard' button. The main content area is titled 'Live login test' and contains a descriptive paragraph: 'If you enter an existing login credential here, you can test the actual authentication from various checkpoints all over the world. The test will use all EAP types you have set in your profile information to check whether the right CAs and server names are used, and of course whether the login with these credentials and the given EAP type actually worked. If you have set anonymous outer ID, the test will use that.' Below this, there is a note: 'Note: the test purposefully does not offer you to save these credentials, and they will never be saved in anyway on the server side. Please use only temporary test accounts here; permanently valid test accounts in the wild are considered harmful!'. Below the note, there is a 'Password-based EAP types' section with three input fields: 'Real (inner) username:', 'Anonymous outer ID (optional):', and 'Password:'. Below the input fields is a 'Submit credentials' button.

Other features

User API

A full access WEB API makes it possible to create different user interfaces to CAT. In particular you can list countries with configured organisations, list organisations globally or within a country, list profiles within organisation, ask for the organisation logo or even geolocate users' IP address and, of course download installers for given user profiles and devices.

Silent Windows installers

CAT 1.1 Windows installers can be run silently with the /S flag, which is useful for organisations which want to build the installers into their own, larger ones.

Getting Help with Govroam CAT

If you have any questions about the Govroam CAT website or the underlying software, don't hesitate to ask on the mailing list cat-users@lists.geant.org . If possible, please subscribe to the list before posting; this guarantees that you'll get replies even if someone forgets a “reply to all”, and also ensures that your post doesn't accidentally get classified as spam and discarded.

Credits

This guide was originally written by GEANT and released under the CC-BY-SA 3.0 licence. Thanks to Stefan Winter and the rest of the GEANT team for allowing us to re-use their documentation. Changes have been made to make it more specific to Govroam.

From:
<https://wiki.govroam.uk/> - **Govroam**

Permanent link:
https://wiki.govroam.uk/doku.php?id=jisc:govroam_cat_documentation_for_organisational_administrators

Last update: 2024/12/13 13:43

