

Testing tools

The main tool used for end-to-end RADIUS testing is **eapol_test**. This emulates a full 802.1x authentication from the client. There are other tools but they just emulate a simple RADIUS authentication.

We strongly recommend using this approach when doing initial RADIUS testing; there are too many idiosyncrasies with actual clients and wireless systems to be confident that you're testing properly.

Start by installing **eapol_test** on the same machine at your ORPS is running on and configuring your ORPS to accept authentication requests from localhost.

Downloads

Windows

Download the binary from here: [eapol_test git repo](#). This is a command line tool so there's no point in double clicking on it.

Debian Linux

Either

- Install the **eapoltest** package from the appropriate repo ('testing' at the current time).
- Follow [these instructions](#) to compile it

Centos Linux

Install the '**eapol_test**' package from the repos.

Configuration

Firstly create a configuration file that contains the relevant authentication information:

```
network={  
  eap=PEAP  
  eapol_flags=0  
  key_mgmt=IEEE8021X  
  identity="testaccount@some.realm"  
  password="password"  
  #ca_cert="/root/Radius/cacert.pem"  
  phase2="auth=MSCHAPV2"  
  anonymous_identity="@some.realm"
```

{

The above users PEAP/MS-CHAP-V2 to authenticate the user **testaccount** at the realm **some.realm**. The **identity** and **anonymous_identity** should have the same realm.

The **ca_cert** line can be commented out if you don't want to compare the server certificate with the Root CA.

Testing

The simplest test command:

```
eapol_test -c file.txt -a 1.1.1.1 -s secret
```

-c specifies the file created above.

-a is the IP address of the RADIUS server.

-s is the shared secret with the server.

The RADIUS server must be configured to accept request from the machine that **eapol_test** is being run on.

This should generate a rather long output ending in either **SUCCESS** or **FAILURE**. This output is notoriously hard to decipher so using the RADIUS server logs is generally the best approach.

From:

<https://wiki.govroam.uk/> - **Govroam**



Permanent link:

https://wiki.govroam.uk/doku.php?id=public:testing_tools&rev=1659965501

Last update: **2022/08/08 13:31**