

Client Certificate PKI Configuration

The idea is simple, the implementation is complex and the execution simple.

The idea is that the client sends a certificate (and key) to the server. The server checks the certificate against a CA and, if it matches, approves the authentication.

The implementation means creating a CA (NOT using a commercial one - this is completely insecure) and a client certificate from the CA. This PKI could be really complicated (Root, Intermediates, signing etc.) or it could be a single Root CA and one certificate per device or user.

The complications are that the certs must contain certain attributes and have certain attribute values formatted in certain ways. Different OSes have different requirements.

The execution is easy. The client sends the cert to the server, which compares it to the stored CA. Again, this could be made more complex by having the CA stored elsewhere and the RADIUS server having to make a call to it.

The approach here is going to be simple. A Root CA with a single certificate and using `eapol_test` to test.

openssl.conf used:

```
#
# OpenSSL configuration file.
#

# Establish working directory.

dir = .

[ ca ]
default_ca = CA_default

[ CA_default ]
serial = $dir/serial
database = $dir/index.txt
new_certs_dir = $dir/newcerts
certificate = $dir/cacert-2021.pem
private_key = $dir/private/akey.pem
default_days = 36526
default_md = SHA256
preserve = no
email_in_dn = no
nameopt = default_ca
certopt = default_ca
policy = policy_match
crlDistributionPoints = URI:http://crl. govroam. uk/ crl. crt

[ policy_match ]
```

```
countryName      = optional
stateOrProvinceName = optional
localityName     = optional
organizationName = optional
organizationalUnitName = optional
commonName       = supplied
emailAddress     = optional

[ req ]
default_bits      = 2048          # Size of keys
default_keyfile   = key.pem       # name of generated keys
string_mask       = default       # permitted characters
distinguished_name = req_distinguished_name
x509_extensions   = v3_ca

[ req_distinguished_name ]
# Variable name      Prompt string
#-----
countryName          = Country Name (2 letter code)
countryName_min      = 2
countryName_max      = 2

stateOrProvinceName = State or Province Name (full name)

localityName         = Locality Name (city, district)

0.organizationName   = Organization Name (company)

organizationalUnitName = Organizational Unit Name (department, division)

emailAddress         = Email Address
emailAddress_max     = 40

commonName           = Common Name (hostname, IP, or your name)
commonName_max       = 64

# Default values for the above, for consistency and less typing.
# Variable name      Value
#-----
countryName_default   = GB
stateOrProvinceName_default = England
localityName_default  = Manchester
0.organizationName_default = Scarfolk
organizationalUnitName_default = Scarfolk
emailAddress_default  = mike.richardson@jisc.ac.uk

distinguished_name = req_distinguished_name
req_extensions     = v3_req
```

```
[ v3_ca ]
basicConstraints      = CA:TRUE
subjectKeyIdentifier  = hash
authorityKeyIdentifier = keyid:always,issuer:always
crlDistributionPoints = URI:http://crlDP.govroam.uk/crlDP.crl

[ v3_req ]
basicConstraints      = CA:FALSE
subjectKeyIdentifier  = hash

[ xpclient_ext ]
extendedKeyUsage = 1.3.6.1.5.5.7.3.2
crlDistributionPoints = URI:http://crlDP.govroam.uk/crlDP.crl

[ xpserver_ext ]
extendedKeyUsage = 1.3.6.1.5.5.7.3.1
crlDistributionPoints = URI:http://crlDP.govroam.uk/crlDP.crl

[ server ]
basicConstraints      = CA:FALSE
subjectKeyIdentifier  = hash
nsCertType = server
nsComment = "OpenSSL Generated Server Certificate"
keyUsage = critical, nonRepudiation, digitalSignature, keyEncipherment
#extendedKeyUsage = serverAuth
extendedKeyUsage = 1.3.6.1.5.5.7.3.1, serverAuth
crlDistributionPoints = URI:http://crlDP.govroam.uk/crlDP.crl

[ client ]
basicConstraints = CA:FALSE
nsCertType = client, email, server
nsComment = "OpenSSL Generated Client Certificate"
subjectKeyIdentifier = hash
keyUsage = critical, nonRepudiation, digitalSignature, keyEncipherment
extendedKeyUsage = serverAuth, clientAuth, emailProtection
crlDistributionPoints = URI:http://crlDP.govroam.uk/crlDP.crl
```

and xpeextensions

```
[ xpclient_ext ]
extendedKeyUsage = 1.3.6.1.5.5.7.3.2

[ xpserver_ext ]
extendedKeyUsage = 1.3.6.1.5.5.7.3.1
```

The Root CA

Last update: 2021/05/07 08:50 siteadmin:client_certificate_pki_configuration https://wiki.govroam.uk/doku.php?id=siteadmin:client_certificate_pki_configuration&rev=1620377424

From:
<https://wiki.govroam.uk/> - **Govroam**

Permanent link:
https://wiki.govroam.uk/doku.php?id=siteadmin:client_certificate_pki_configuration&rev=1620377424

Last update: **2021/05/07 08:50**

