

clients.conf:

```
clients radsec {
    client roaming0.govroam.uk {
        ipaddr = 212.219.190.139
        proto = tls
        secret = radsec
    }
    client roaming1.govroam.uk {
        ipaddr = 212.219.209.43
        proto = tls
        secret = radsec
    }
    client roaming2.govroam.uk {
        ipaddr = 212.219.247.59
        proto = tls
        secret = radsec
    }
    client roaming3.govroam.uk {
        ipaddr = 195.194.21.203
        proto = tls
        secret = radsec
    }
}

listen {
    ipaddr = *
    port = 2083
    type = auth
    proto = tcp
    clients = radsec
    tls {
        certdir = ${confdir}/certs
        cadir = ${confdir}/certs
        private_key_password = whatever
        private_key_file = ${certdir}/<yoursite>-server-cert.pem
        certificate_file = ${certdir}/<yoursite>-key.pem
        ca_file = ${cadir}/radsecCA-2019.pem
        dh_file = ${certdir}/dh
#        random_file = ${certdir}/random
        fragment_size = 1071
        include_length = yes
        cipher_list = "DEFAULT"
        cache {
            enable = yes
            lifetime = 24 # hours
            max_entries = 255
        }
    }

    require_client_cert = yes
    verify {
```

```
# tmpdir = /tmp/  
    }  
  }  
}
```

From: <https://wiki.govroam.uk/> - **Govroam**

Permanent link: https://wiki.govroam.uk/doku.php?id=siteadmin:freeradius_radsec_configuration&rev=1551888317

Last update: **2019/03/06 16:05**

