# The Govroam CAT is now deprecated.

# Govroam CAT Signup

# Background

The CAT (Configuration Assistant Tool) allows end users to install a configuration on their devices which will allow to them easily connect to Govroam. These are primarily intended to help BYOD (Bring Your Own Device) users, as opposed to corporately managed devices.

### Structure

Each organisation (e.g. Holby Trust) will have an entry (an Identity Provider) in the CAT which can be managed by one or more members of that organisation, normally the person, or people, who manage the RADIUS proxy system. These administrators can add, or remove, other administrators of their Identity Provider. Within each Identity Provider there can be multiple profiles, with independent configuration, which allows for different realms, authentication types, support details and other aspects.

## Sign-Up

**Initially each site should request a token for an administrator.** That token will be sent to the supplied email address and will be valid for **24** hours. After that time another token would have to be requested.

×

On receipt of the token the recipient would click a link which takes them to the Login page. This Login page gives a number of options for Identity Providers (these are not the same Identity Provides as referred to above) but currently the only option is Google.

The administrator will need to log in. At this point the ID provided by the Login system, e.g. Google, will be permanently associated with the CAT. This means that in future the administrator will have to use the same Login system each time to gain access to the CAT. Once logged in the administrator will have access to their CAT Identity Provider and be able to start the process of populating the appropriate values and creating a new Profile.

### Summary

- 1. The technical contact for your site should email govroam@jisc.ac.uk asking for a CAT token.
- 2. On receipt of the email from Jisc the technical contact should click on the link (within 24 hours).
- 3. Pick an IdP to use for now and in the future (e.g. Google).

- 4. Log in with your Google credentials (creating a new account if necessary).
- 5. Create a new CAT IdP for your site.

# Govroam CAT: purpose and scope

### Introduction

Govroam CAT is the Govroam Configuration Assistant Tool. Its purpose is to support you, an Govroam Identity Provider administrator, by allowing you to generate customised Govroam installers for various platforms. The customisation includes your IdP's name, location and logo, contact details for your helpdesk, and of course the RADIUS settings which users need to uniquely identify your IdP when roaming. The installers can be produced in many languages; that way, you can even offer your users an installer in their native language! Further to that, Govroam CAT can also assist you in debugging your own RADIUS setup by comparing your inputs to the actual behaviour of your setup in the Govroam infrastructure.


Govroam CAT can make the end-user installers available on its own user download area, or you may choose to download them yourself and distribute them on your organisation's own web page. You can also choose to make only a subset of the supported platforms available for direct download, while redirecting users of select platforms to your own support page (e.g. if you have custom installers with non-standard specialities for these platforms).

Surprisingly many users do not have a clue which operating system they are using. Govroam CAT thus includes an operating system detection and automatically suggests the fitting download. There is a "All platforms" link which takes users to the full platform selection if they so wish. A screenshot of the download area is below. Try it out yourself: hop over to https://cat.govroam.uk, and select any organisation on the download page!

25/06/06 10:0	06	3/16				The Govroa	m CAT is no	ow deprecate
GOVTOOM figuration Assistant T	aal		Star	tpage Ab	out Languag	e Help	Manage	Terms of use
nguration Assistant 1								
Govroan	n (Test only)							select anoth
	roblems, then you can obtain direct a	ssistance from your Ider	tity Provider at:					
www:	http://jisc.ac.uk/govroam							
email: tel:	govroam@jisc.ac.uk 01235 822119							
Choose another installe	er to download MS Windows 10	i						
	MS Windows 8, 8.1	i						
<u></u>	MS Windows 7	i						
	MS Windows Vista							
	Apple macOS High Sierra	i						
	Apple macOS Sierra	i						
	Apple OS X El Capitan	i						
	Apple OS X Yosemite	i						
	Apple OS X Mavericks	i						
	Apple OS X Mountain Lion	1						
	Apple OS X Lion	i						
	Apple iOS mobile devices	1						
A	pple IOS mobile devices (IOS 5 and 6)	i						
<u></u>	Linux	1						
<b>O</b>	Chrome OS	<i>i</i>						
	Android 8.0 Oreo	i						
	Android 7.0 Nougat	i						
	Android 6.0 Marshmallow	i						
	Android 5.0 Lollipop	i						
	Android 4.4 KitKat	i						
	Android 4.3	i						

Govroam CAT - Unreleased Gt Revision © 2011-2018 DANTE Ltd. and GÉANT on behalf of the GN3, GN3+, GN4-1 and GN4-2 consortia; and others Full Copyright and Licenses

There is also a lightweight download page for resource-contrained mobile devices. It also includes the operating system detection.



### **Device Support**

Govroam CAT supports a broad selection of common end-user client devices and many EAP types.To view the full compatibility matrix of supported EAP types and devices, please visit the frontpage of Govroam CAT and click on "About Govroam CAT" on the left-hand side under the "About" menu. You will see that not all EAP types are supported on all platforms - we largely rely on the target Operating System's capabilities.

For some devices, there is little we can do, since they either do not support proper automatic configuration, or for various reasons such support cannot be used by CAT. For some select devices in that class we still offer the possibility for administrators to set a redirect target for this device. Administrators can then create a dedicated support web page to which the user will be sent for local instructions. You can find the list of these devices on the "Installer Fine-Tuning" page (see below); more devices can be added by the Govroam CAT operators; if you see a need for that please contact govroam@jisc.ac.uk.

Notably, Android versions below 4.3 are not supported and likely never will be, sorry. Your helpdesk will have to take care of legacy Android users by other means.

#### Support Policy for operating systems versions

Govroam CAT generally tries to follow vendors' end of life dates:

- Microsoft products:https://support.microsoft.com/en-gb/help/13853/windows-lifecycle-fact-sheet
- Apple products: https://support.apple.com/en-gb/HT201624

#### TTLS Support for Windows XP, Vista, and 7

GÉANT and SecureW2 are happy to announce that they have reached amicable settlement of their dispute relating to the distribution of EAP Suite 1.1.3 in the Govroam CAT platform.

### Scope

Govroam CAT is not replacing your helpdesk! While we hope to do you a good service by taking the technical task of generating secure installers for many platforms into our hands, we can not take your users' phone calls or tell them how to fix problems on their computers. The CAT's installers work on the target platforms if these have not been modified beyond reason by the end-user, and we hope the installation process with them is intuitive enough; but we can not give you guarantees that you will not ever hear from failing users again.

# **Enrolling my organisation for Govroam CAT**

### Step 1: Requesting an entry for your organisation

Govroam CAT follows the usual organisational model of Govroam: your national federation administrator has control over all the Identity Providers in his country. To manage your organisation with Govroam CAT, please let your national administrator know that you want to participate using your usual communications channels.

If he finds you eligible for the service, he will send you an invitation email with a token (the token is valid for 24 hours after sending it to you). You can then follow the supplied link with the token, log into the Govroam Administration interface, and start managing your organisation - see the next section for details of organisation and profile setup.

## Step 2: How to log into Govroam CAT?


When clicking on the Administration interface link, you will be automatically sent to the Govroam Support Services' federated login service. This login service does not work with site-specific usernames and passwords; instead you are presented with a list of sources of identity, currently just Google.

# Configuring my organisation's properties


### **Overview**

There are basically four groups of information which we need to ask of you before we can create good-looking installers for you:

• general information about your organisation (e.g. logo, approximate location, name)



helpdesk contact details (mail, phone, web)



To the largest extent possible, all the information is optional. If you choose not to let us know all the details we will still create installers, but they just won't contain as much information as they could. Please consider giving us as much information as possible. There are two governing principles regarding input and storage of information in the administrator user interface:

1. Textual information can be provided in many languages; one language representation should be set as the default language though - to have a string to present to users who want to use a language which wasn't explicitly configured.

2. An organisation consists of one of more EAP profiles, each of which can have its own EAP-specific settings. One typical use-case is an organisation which has "Doctor" and "Med Student" accounts with different EAP-Types being supported. Many options in Govroam CAT can either be set for the entire organisation or only for a specific profile; if a setting is set on both levels, the more specific profile-level setting will override the organisation-level one.

### **Organisation-wide Settings**

After you've followed the invitation token from your national administrator, you'll be dropped right in the "Edit IdP" page. On that first time, you'll see a "wizard mode" which provides lots of explanatory text about the meaning of all the settings you can make. You can add and delete any of those options; don't be shy and try them all out! Adding a new option is done by pushing the corresponding button, selecting which option you want to set, and then the content of that new option. Changes will only be saved when you hit the "Continue ..." button on the bottom of the page.

When you re-visit the "Edit IdP" page later from the Organisation Overview page, the explanatory texts are condensed in order not to overload the user interface. You'll certainly find your way around without the wizard texts.

You can configure three of the four areas mentioned above in this first page. The RADIUS and EAP settings are configured in the more specific Profile configuration at a later stage.

#### **General Information**

#### **Helpdesk Contact Details**

#### **Media Properties**

Here, you can now configure all media properties of your Govroam setup.

The SSID "govroam" for WPA2/AES is always configured as it is the core of the Govroam specification; you do not need to enter this one here. The list of things you can additionally configure in "Media" are:

• additional SSID for WPA2/AES:

If you deploy other SSIDs for which Govroam credentials are valid, you can add these here and they will be configured alongside the govroam SSID.

• additional SSID for WPA2/AES and WPA/TKIP

If you deploy other SSIDs for which Govroam credentials are valid, you can add these here and they will be configured alongside the Govroam SSID. This SSID will be installed for both WPA2/AES and (legacy) WPA/TKIP.

• additional own Hotspot 2.0 / Passpoint Consortium OI

If you want to enable Passpoint and have a Consortium Organisation Identifier, you can enter it here. **Currently there isn't an COI for Govroam but it is something being considered for the future** On end-user device side, settings made regarding Passpoint are supported by all the major OSes: Windows, Android, iOS and MacOS but at varying levels of competence.

• whether or not to configure wired ethernet for IEEE 802.1X

Some Govroam participants also use IEEE 802.1X for wired ethernet ports in their premises, e.g. in dormitories. Administrators can specify that the installers should include wired ethernet Govroam configuration on the client devices. This is currently supported for the Windows installers and Apple OS X. Windows installers will provoke a UAC prompt when wired support is turned on.

• disable captive portal SSIDs after setting up Govroam

Many Govroam participants deploy several SSIDs; typically, a captive portal SSID for help and/or download of configuration profiles/configuration instructions (a "bootstrap" or "onboarding" network), and the real Govroam network. If your users have connected to the bootstrap network before, their devices usually remember it, and may unfortunately prefer that network over the then-configured Govroam network. To prevent this, you can configure the name of your bootstrap SSID, and then during the installation process, CAT will either remove it from the client device, or at least mark it as "do not join automatically".

### Profiles

Profiles are the specific EAP configurations for your user group(s), and installers are always generated for specific profiles. If you only have one user group, the distinction between organisation-wide and profile-wide settings does not make a difference. However, many IdPs have different user groups which share some properties, but not all. One example is where on the one hand Med Students have username/password accounts, authenticating with PEAP and generic helpdesk contact points, and on the other hand permanent staff have TLS Client certificates with EAP-TLS and access to a better second-level helpdesk just for them.

Govroam CAT makes it easy to manage multiple user group profiles for one organisation. Shared properties for e.g. server certificates and helpdesk contacts can be defined organisation-wide (which makes them immediately available in all profiles) or per-profile (the property then is only defined for this specific profile). You can also define organisation-wide settings and override them in specific profiles.

In the first-time wizard, the CAT automatically takes you to the profile creation page as soon as the organisation-wide settings are submitted.

For a profile, you first have to set its name and description, which as usually can be done in many languages. There is also one important option: "Production-Ready". We will not publish your generated installers on the end-user download page unless you set this option and check the box. This is to prevent that people accidently download installers with incomplete information while you are still working on the final setup. 9/16

Basani Polite properties
We will now infine a profile for your user generality. The star and so many profiles as you file the decoming the assessments to be a real or in a page. After the profiles are used in the indications are used in the decoming the many list?
Profile Rame and R823US regim
Peri of all us resul a rarra for the period. This of its dataget is and ason, or you may earlie these a description range the Technology, Technic of the Pecify of Description, etc.
Optionality, you can provide a larger description that accust whe tria profile is for. If you specify it, it will be depresed on the dominant page after the user has executed the profile rank is the bit.
The can derive in an over MARLIN main. The spards if we want to see the archy check metalecture, which has resolution of your relation in the extreme articularity. If check the terror the west-metale Pays, when is support and provide the definition and before.
( Hele Sectors 1) ( seet topop 1)
Parke Broke hore 1 aviet latgargs 1
Partie Rode Vene 1 alex apage 1
All designed

The CAT also asks for the RADIUS realm belonging to this profile; submitting the realm name is optional, but highly recommended because it enables us to do very thorough sanity checks on your RADIUS installation later. Please see the section "Verifying my RADIUS setup" for more details. You can also decide whether you want the generated installers to be configured with an anonymous outer identity, and what that identity should be. If you want users of that profile NOT to be given an installer, you can also specify that we should send your users to your own support page instead. A typical use case for that is if you, the admin, want to generate installers but only download them yourself and present them on your own Govroam support page.



The third part of profile generation is about the EAP types which you've configured in your RADIUS server for this user group. By simple drag&drop, please drag all the EAP types you support into the upper green area. The list is ordered by preference, so drag the EAP types into your preferred order. The CAT will always compare the EAP types you've configured here with the capabilities of the various devices which are to be configured. If the device supports your most preferred EAP type, installers will always be generated for that EAP type. If your preferred EAP type does not work on a given device, the preference list is worked through until a match occurs, and then installers for that device will use that not-so-preferred EAP type (which is better than not supporting Govroam configuration at all). Finally, if there is a complete mismatch between the EAP types you support and the EAP types on a device, then we can't generate installers for that device. You might be luckier if you can change your RADIUS setup to support more EAP types then.



#### **EAP Details**

In the EAP Details section, you can upload common properties of your RADIUS installation's EAP configuration. If you specify something here, the settings will be used for all the user profiles you define (see below), unless you choose to override them in one of the profiles.

For most EAP methods, the required EAP details are

- The Certification Authority (CA) certificate(s) which signed your EAP server certificate
  - always include the root CA (root CAs are indicated with a blue circled "R" besides the certificate details after upload)
  - $\circ\,$  optionally include intermediate CAs (intermediate or server certificates are indicated with

- a blue circled ("I") besides the certficate after upload)
- The name of your server as specified in the Common Name (CN) of your EAP server certificate

#### Note 1 - server certificates

There is no point in uploading the server certificate itself. The server certificate is sent during the EAP exchange during login time to the client. Contrary to that, the CA certificates are needed because they are the trust anchor on the client device which it uses to verify that incoming server certificate.

#### Note 2 - CA requirements

Various client device operating systems have specific requirements about which CA certificates and server certificates they accept. For more information, please see EAP Server Certificate considerations.

#### Note 3 - CA rollover support

You can upload multiple root CA certificates simultaneously to CAT. On all supported client OSes, all of them will be installed and all will be marked trusted. This enables CA vertificate rollow without a flag day: User devices which were configured with an upcoming new root CA ahead of time will then not even notice the change of server cert from old to new trust root (so long as the Common Name of the server certificate remains unchanged during the rollover).

Almost all CAT-support client operating systems support multiple trust roots. There is only one fraction of CAT-supported client OSes which does not support multiple root CAs: Android versions < 7.1. For those, due to an API limitation we are not able to do anything about, only one root CA will be installed; the API also cannot install any intermediate CAs at all. To isolate Android users while giving everyone else multiple trust roots early, you could create a different profile (see next section) just for Android and only load the desired root CA into that profile). Android 7.1 finally got its support for multiple trust roots; the GovroamCAT app already supports that.

Given the update situation on the Android platform, it is naive to think that the unsupported root CA rollover problem will wither out in anything less than five years. There is unfortunately nothing we can do about it.

#### **Overriding IdP-wide Settings**

After these steps, you can enter/override helpdesk and media properties if you haven't done so on the organisation-wide settings already (see above). If you have entered one specific option organisation-wide already, and you enter something else here, then the settings on profile level supersede the organisation-level ones.

e option - Poppert: E-Mail Hunds defined Str-wid	n. 🏚 ov set it hore on	profile le	vel, this setting will	evenide the 1dM wide one.	
happet t-this v	saled begauge	¥			e
Teens of Use	equipment being	÷	durchsuches	Keine bitai suspensiht.	
Support Phone ~	reject (unguage	÷			
Support Web v	salect language	v			

That's all - the CAT then proceeds to a sanity check of the things you have configured and will tell you about any things which need fixing, it any. You are then transported to the Organisation dashboard - from where you can continue to download your installers, change organisation or profile details,

perform sanity checks and more.

# Generating installers for my users

On the organisation dashboard page, you see the most important pieces of data that you have entered.

General Identity Provider details County: Dame of Identity Providentification in Granges (Destroyed (Test and y) Logis Image	Global Helpdesk Details Suppor: E-Mai detaitten langungergevenen@jira aa.uk Suppor: Proceedetaatten langungerS0228.82218 Suppor: Wa detaittener langungerMgcJipor.ac.akigovenen	Media Properties RenovelOtable SSIO setup Configue Weel Etherneties
QR Code for identity Provider download area	Wedingford Acces	

This data (and all profile-specific data) is used to create installers from. To actually get access to the installers, click on the "Installer Fine-Tuning and Download" button in your defined profile.

Profiles for this Identity Provider	
Profile: Govroam  CAP Types (o color of preference): TLL AND CHER NO.  PR.M. MS CHER NO.  PR.M. MS CHER NO.  CHER NO	User Doverloads Anshval 8.9 Gree Anshval 8.9 Gree Apple 05 X 51 Copian Apple on X 51 Copian Apple 05 X Manericia Apple 05 X Manericia Apple 05 X Norman Craves 03 Limax Apple 05 X Norman Limax Apple 05 Anshval A
Add new PADIUS/EAP profile	

This will take you to the overview of available installers. It takes the form of a matrix of your enabled EAP types, the devices CAT knows about, and whether or not an installer for all the combinations is available.

- Green matrix entries mean that the installer is ready for use, and there is a Download button in these fields.
- Blue entries mean that CAT could create an installer for that combination, but there is a more highly preferred EAP type which it can serve as well; so that one is generated instead.
- Red entries mean that CAT does not know how to configure the EAP type on that device.
- Grey entries mean that you did not supply all required information for CAT to produce an installer for you you would need to go back to IdP and/or Profile settings and fill in the missing pieces.
- White entries mean that you have set up an "exception" and CAT will not offer this combination to end-users, even if an installer may in principle be available (see next paragraph for details).

Device	e compatiblity matrix	k for Govroam of G	ovroam (Test only)
	Device	TTLS-PAP EAP-Type-specific options	PEAP-MSCHAPv2 EAP-Type-specific options
2	MS Windows 10 Device-specific options	Download	
2	MS Windows 8, 8.1 Device-specific options	Download	
2	MS Windows 7 Device-specific options	Download	
27	MS Windows Vista Device-specific options	Download	
27	Windows RT Device-specific options		
Ó	Apple macOS High Siena Device-specific options	Download	
Ó	Apple macOS Siena Device-specific options	Download	

Maybe you have something special to communicate to your users? E.g. hints which password to use for EAP-TTLS, or which secretariat to turn to to get the client certificate for EAP-TLS? Maybe you ban Apple Smartphones from your campus and want to alert users to that end?

For all these options, the Fine-Tuning page has extra buttons: you can add free-text for either specific EAP Types or specific devices. This text will then be displayed on the user download page before the download begins. For devices, you can also specify a Redirect target; if this is set, CAT will not provide a download button, but instead will redirect users to the URL you specified. This could, for example, be useful if you have a custom-made or commercial installer for one of the devices, and don't want to use CATs services for that device. If this option is set, the background for this device will turn white in the matrix (see screenshot above).

Fine-tuning options for EAP-Type TTLS-PAP	×
Einna met en downloedpage for EAP method • (select language • )	
Add new option Sarve data	
Pine-tuning options for device MS Windows 10	×
Pine-Juning options for device MS Windows 18           Extra text on devicedgage for device Y         select language         Y	×
	×
Einna net an diseideadpage for device V (select language V)	x

You can now push the download buttons and use the generated installers as you see fit. This is also possible for redirected devices; even though your users don't get this installer from CAT, you as an admin might want to have it anyway, e.g. to include it in your own Govroam support pages.

# Installer visibility on the user download page

You are in full control which of the installers, if any, and when you want to show on the CAT end-user download pages. Your control options are as follows:

 Make the EAP profile visible, but redirect users to your own support pages (entry is listed, but no download on the public page). This can be set in Profile options - see screenshot.

Installer Download Location	
Redirect end users to own web page: 🗌	

- Make the EAP profile visible with installers, but redirect certain devices to your own pages. Use the Fine-Tuning matrix to set the Redirect option for the device (see previous section).
- Make all installers visible.

All of three options will require confirmation by you that you have entered all details and have reviewed the profile to be "production-ready". No details of your EAP deployment will be made visible until you have declared your data set production-ready. You do this by adding the option with that same name in your Profile properties.

The visibility status of your EAP deployment is indicated with either a green (published) or yellow (unpublished) status icon on the Profile info (see screenshot). If the status is yellow, you can hover with your mouse over it to get a more detailed explanation why the profile is not published.

Profile: Govroam EAP Types (in order of preference): TILSAPP // PEAP-MECHAPv2 CK	This profile is NDT shown on the user Creat rear associated develocal interface, even though we have even to be shown to enable the are five flows and beckers and tick the corresponding box.
Eat Dom	

# Verifying my RADIUS setup

If you have supplied the CAT with the realm which you are using in Govroam, an extra service is enabled for you: the CAT can send live data probes through the Govroam infrastructure to see if your realm's RADIUS server is reachable and whether it passes various sanity checks. All these tests are triggered by pushing the button "Check realm reachability". You will be presented with an overview page immediately while various tests are executed in the background:

The tests will take a few to several tens of seconds, and will give you an in-depth overview of how your RADIUS server is doing in the world of Govroam. The tests include

 a DNS check whether your realm is publishing NAPTR records for Govroam Dynamic Discovery; and if so, whether all DNS records are correct (currently NAPTR records aren't an option for Govroam). If the DNS checks were successful, the CAT will make actual use of the discovered RADIUS Dynamic Discovery server targets and try to connect. It will present a mix of valid and invalid certificates and will check whether the server acted correctly on receipt of these certificates.

Last	
update:	jisc:govroam_cat_documentation_for_organisational_administrators https://wiki.govroam.uk/doku.php?id=jisc:govroam_cat_documentation_for_organisational_administrators&rev=1722593017
2024/08/02	ןארגעטערערערערערערערערערערערערערערערערערער
10:03	

	Mate construction to the	Special constrainty have	Use age hars	
-	And the second second			
1944	permit Ada hata			
	memory were hard damp?	e fealls, une bettoer		
	and alternational article			
	enve handstate			
	HIST REPORT			
		tel positife lo check P-drastate	ant d Boylona	
*00.00.0	C hPoen			
	Exception (signed time marks)	****		
100.48	NUM TOP ONLY			
	a to Sportfolk, Section 2014	standid to be Philade	and the local	
THE R.L.	817980			
	Completion and the	10-10		
<b>`</b>	and the second s			
the first	Fortification from the second	constant.		
154.04	CONTRACT OF DESIGN OF	Next Prieries are indicated as	ra catilon prov	en
2014	HID TOPOBO			
		Manual Cost Provider	nes # Portna	
*08.04.1	0.104040			
		Ch-starting and the		
	0 10	endetrotarced the dark and	dis-reset offic	on an order properties
	<ul> <li>Regulationis to W 2 course automatic title 4 course</li> </ul>	e Direkonni		
	CA DE-orgBO-pellet			
		engisteeriasiagi bischeericariik	ate unternamination	rikologovalime 01 maj
	128 101080			
	a tripositi, teratara, ita 5 107400	ni posi isto nel Pdialer	and a mountain	
	1 Christellinde OFLas	a start		
	CA. Discophic states	AND AND PERSONNEL INC.		
	- Dec	and the second bits of the second second	de reason union	en advolto o se cellular policy
	<ul> <li>Read-change for the</li> </ul>	otherprotein proparationa 11		
	2 Close contributes Cliff, en-	e provenskent		
	· construction and the pro-	egethelement PAL militeriariat blochestratik	ate and the second sector	the second descent of the
	<b>O</b>	for protect property line, West	14.1	and a second secon

- the results of actual authentication tests which were sent in the moment you pushed the button: these will not log anybody in (we don't have actual user credentials) but even with the planned failed authentication, we can run lots of diagnosis on your server. The web page will let you know if we found some oddities you might want to take care of:
  - $\circ\,$  Authentication round-trip times to your realm which take more than 5 seconds are suspicious
  - $\circ\,$  Your server must be able to send and receive UDP fragments (some firewalls choke on that)
  - There are a number of RADIUS attributes that are commonly present in authentication requests; some servers behave strangely on receipt - we'll let you know if yours is problematic
  - Checks regarding the structure and validity of your server, intermediate and root CA certificates. These checks are as thorough as checking everything that is described in prose on the EAP Server Considerations page. Here is a typical output if your server certificate is "from the 1990s" (i.e. didn't keep up with all the recommendations and requirements on server certificates in recent years):

		Description of the basis	the best state	
erview	Static connectivity tests	Dynamic connectivity tests	Live login tests	
lepeat st	dic connectivity tests			
STATIC C	nneclivity tests			
This chec Operator-	k sends a request for the realm Name' attribute, and will be lar	n through various entry points of t ger than 1500 Bytes to catch two r the realm, we can't authenticate	common configuratio	
	aject after having gone through			
	m: Europe/Luxembourg 1			
	mected to eduroamurestenaJ psed time: 443 ms.	LL.		
	t successfult a bidirectional R ect as planned.	ADIUS conversation with multiple	round-trips was car	ried out, and ended in an Access-
5	how server certificate details			
Testing fro	m: Europe/Luxembourg 2			
	nected to eduroam.restena.) psed time: 425 ms.	u.		
	t successfult a bidirectional R ect as planned.	ADIUS conversation with multiple	round-trips was car	ried out, and ended in an Access-
8	bow server certificate details	14		
Testing fri	m: Europe/Poland			
	nected to educoam,restena.) psed time: 1666 ms.	u.	h	
	t successfult a bidirectional R ect as planned.	ADIUS conversation with multiple	round-trips was car	ried out, and ended in an Access-
5	how server certificate details			
Testing fro	m Europe/Germany			
	nected to educoam.restena.) psed time: 1013 ms.	н.		
	t successfult a bidirectional R ect as planned.	ADIUS conversation with multiple	round-trips was car	ried out, and ended in an Access-
5	bow server certificate details			
Testing fri	m: EAPlab test			
📒 ela	psed time: 1367 ms.			
RA col	DIUS server enforces that oute	thy in your profile settings to get p	ting username, then	it nacessarily an error: if the his result is expected (Note: you other cases, the server appears
Testing fri eta Tes RA coi	bow server certificate details m: EAPlab text psed time: 1367 ms. I FALED: The request was rejo DUS some methods that outer ide configure a valid outer ident ide configure a valid outer ident configured of this unreachable	cted immediately, without EAP co r identifies correspond to an exis	ting username, then	this result is expected (Note: you

• If you feel comfortable giving CAT access to short-lived real authentication credentials (for debugging purposes with test user accounts only!), then you can run an actual positive authentication test; in which case we can run even more diagnosis.

rview	Static connectivity tests	Dynamic connectivity tests	Live login tests	
ive login	test		-	
vou ente	an existing login credent	chere, you can test the actual authe	ntication from various	s checkpoints all over the world.
sed, and uter ID, th lote: the t ide. Ptea	of course whether the logit is test will use that. approvefully does not a	ve set in your profile information to c with these credentials and the give fler you to save these credentials, an <b>accounts</b> here, permanently valid t	n EAP type actually w	vorked. If you have set anonymous saved in any way on the server
al (inni	t) usemame:			
knorryma.	is outer ID (optional):			
assword	t			
Submit	credentials			

# **Other features**

#### **User API**

A full access WEB API makes it possible to create different user interfaces to CAT. In particular you can list countries with configured organisations, list organisations globally or within a country, list profiles within organisation, ask for the organisation logo or even geolocate users' IP address and, of course download installers for given user profiles and devices.

### Silent Windows installers

CAT 1.1 Windows installers can be run silently with the /S flag, which is useful for organisations which want to build the installers into their own, larger ones.

# Getting Help with Govroam CAT

If you have any questions about the Govroam CAT website or the underlying software, don't hesitate to ask on the mailing list cat-users@lists.geant.org . If possible, please subscribe to the list before posting; this guarantees that you'll get replies even if someone forgets a "reply to all", and also ensures that your post doesn't accidentally get classified as spam and discarded.

# Credits

This guide was originally written by GEANT and released under the CC-BY-SA 3.0 licence. Thanks to Stefan Winter and the rest of the GEANT team for allowing us to re-use their documentation. Changes have been made to make it more specific to Govroam.

